


SIDE B	1	2	3	4	5	6	7	8
LC	Blue	Orange	Green	Brown	Yellow	Violet	Pink	Aqua

**Specification:**

1. MTP/ MPO Low Loss IL:  $\leq 0.35\text{dB}$ ; Ultra loss:  $\leq 0.25\text{dB}$ ; LC  $\leq 0.25\text{dB}$ .
2. Return Loss:  $\geq 65\text{dB}$
3. Operation Environment:  $-40\sim+85^{\circ}\text{C}$
4. Storage Environment:  $-40\sim+85^{\circ}\text{C}$

<b>SHENZHEN OPTICO COMMUNICATION CO., LTD.</b>									
<b>Model</b>	8F MTPAPC Female-LCUPC Type A SM G657.A 3.0mm Yellow LSZH CPR-Dca Cable	<b>O-8F-MTPFALCU-SM-A</b>							
<b>FIRST ANGLE PROJECTION</b> 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	<b>XUELING W</b>	DATE	2025.04.25
	LSZH	m	/	A4	1	CHECKED	<b>Michael Liu</b>	DATE	2025.04.25
							APPROVED	<b>STEVEN Zhang</b>	DATE





Type B (TIA)


SIDE A	1	2	3	4	5	6	7	8	9	10	11	12
MTP	Blue	Orange	Green	Brown	x	x	x	x	Yellow	Violet	Pink	Aqua

SIDE B	8	7	6	5	4	3	2	1
LC	Blue	Orange	Green	Brown	Yellow	Violet	Pink	Aqua

**Specification:**

1. MTP/ MPO Low Loss IL:  $\leq 0.35\text{dB}$ ; Ultra loss:  $\leq 0.25\text{dB}$ ; LC  $\leq 0.25\text{dB}$ .
2. Return Loss:  $\geq 65\text{dB}$
3. Operation Environment:  $-40\sim+85^{\circ}\text{C}$
4. Storage Environment:  $-40\sim+85^{\circ}\text{C}$

		<b>SHENZHEN OPTICO COMMUNICATION CO., LTD.</b>							
Model	8F MTPAPC Female-LCUPC Type B SM G657.A 3.0mm Yellow LSZH CPR-Dca Cable						OP-8F-MTPFALCU-FP-SM-B		
FIRST ANGLE PROJECTION 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.04.25
	LSZH	m	/	A4	1	CHECKED	Michael Liu	DATE	2025.04.25
						APPROVED	STEVEN Zhang	DATE	2025.04.25




SIDE B	1	2	3	4	5	6	7	8
LC	Blue	Orange	Green	Brown	Yellow	Violet	Pink	Aqua

**Specification:**

1. MTP/ MPO Low Loss IL:  $\leq 0.35\text{dB}$ ; Ultra loss:  $\leq 0.25\text{dB}$ ; LC  $\leq 0.25\text{dB}$ .
2. Return Loss:  $\geq 60\text{dB}$
3. Operation Environment:  $-40\sim+85^{\circ}\text{C}$
4. Storage Environment:  $-40\sim+85^{\circ}\text{C}$

<b>SHENZHEN OPTICO COMMUNICATION CO., LTD.</b>									
<b>Model</b>	8F MTPUPC Female-LCUPC Type A SM G657.A 3.0mm Yellow LSZH CPR-Dca Cable								
<b>OP-8F-MTPFLCU-SM-A</b>									
<b>FIRST ANGLE PROJECTION</b> 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.04.25
	LSZH	m	/	A4	1	CHECKED	Michael Liu	DATE	2025.04.25
							APPROVED	STEVEN Zhang	DATE





Type B (TIA)


SIDE A	1	2	3	4	5	6	7	8	9	10	11	12
MTP	Blue	Orange	Green	Brown	x	x	x	x	Yellow	Violet	Pink	Aqua

SIDE B	8	7	6	5	4	3	2	1
LC	Blue	Orange	Green	Brown	Yellow	Violet	Pink	Aqua

**Specification:**

- MTP/ MPO Low Loss IL:  $\leq 0.35\text{dB}$ ; Ultra loss:  $\leq 0.25\text{dB}$ ; LC  $\leq 0.25\text{dB}$ .
- Return Loss:  $\geq 60\text{dB}$
- Operation Environment:  $-40\sim+85^{\circ}\text{C}$
- Storage Environment:  $-40\sim+85^{\circ}\text{C}$

		<b>SHENZHEN OPTICO COMMUNICATION CO., LTD.</b>										
Model	8F MTPUPC Female-LCUPC Type B SM G657.A 3.0mm Yellow LSZH CPR-Dca Cable							OP-8F-MTPFULCU-FP-SM-B				
FIRST ANGLE PROJECTION 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.04.25			
	LSZH	m	/	A4	1	CHECKED	Michael Liu	DATE	2025.04.25			
						APPROVED	STEVEN Zhang	DATE	2025.04.25			




SIDE B	1	2	3	4	5	6	7	8
LC	Blue	Orange	Green	Brown	Yellow	Violet	Pink	Aqua

**Specification:**

1. MTP/ MPO Low Loss IL:  $\leq 0.35\text{dB}$ ; Ultra loss:  $\leq 0.25\text{dB}$ ; LC  $\leq 0.25\text{dB}$ .
2. Return Loss:  $\geq 65\text{dB}$
3. Operation Environment:  $-40\sim+85^{\circ}\text{C}$
4. Storage Environment:  $-40\sim+85^{\circ}\text{C}$

<b>SHENZHEN OPTICO COMMUNICATION CO., LTD.</b>									
<b>Model</b>	8F MTPAPC Male-LCUPC Type A SM G657.A 3.0mm Yellow LSZH CPR-Dca Cable	<b>OP-8F-MTPMALCU-SM-A</b>							
<b>FIRST ANGLE PROJECTION</b> 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.04.25
	LSZH	m	/	A4	1	CHECKED	Michael Liu	DATE	2025.04.25
							APPROVED	STEVEN Zhang	DATE




Type B (TIA)

SIDE A	1	2	3	4	5	6	7	8	9	10	11	12
MTP	Blue	Orange	Green	Brown	x	x	x	x	Yellow	Violet	Pink	Aqua


SIDE B	8	7	6	5	4	3	2	1
LC	Blue	Orange	Green	Brown	Yellow	Violet	Pink	Aqua


**Specification:**

1. MTP/ MPO Low Loss IL:  $\leq 0.35\text{dB}$ ; Ultra loss:  $\leq 0.25\text{dB}$ ; LC  $\leq 0.25\text{dB}$ .
2. Return Loss:  $\geq 65\text{dB}$
3. Operation Environment:  $-40\sim+85^{\circ}\text{C}$
4. Storage Environment:  $-40\sim+85^{\circ}\text{C}$



**SHENZHEN OPTICO COMMUNICATION CO., LTD.**

<b>Model</b>	8F MTPAPC Male-LCUPC Type B SM G657.A 3.0mm Yellow LSZH CPR-Dca Cable					OP-8F-MTPMALCU-FP-SM-B						
<b>FIRST ANGLE PROJECTION</b> 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.04.25			
						CHECKED	Michael Liu	DATE	2025.04.25			
	LSZH					m	/	A4	1	APPROVED	STEVEN Zhang	DATE





Type A (TIA)


SIDE A	1	2	3	4	5	6	7	8	9	10	11	12
MTP	Blue	Orange	Green	Brown	x	x	x	x	Yellow	Violet	Pink	Aqua

SIDE B	1	2	3	4	5	6	7	8
LC	Blue	Orange	Green	Brown	Yellow	Violet	Pink	Aqua

**Specification:**

1. MTP/ MPO Low Loss IL:  $\leq 0.35\text{dB}$ ; Ultra loss:  $\leq 0.25\text{dB}$ ; LC  $\leq 0.25\text{dB}$ .
2. Return Loss:  $\geq 60\text{dB}$
3. Operation Environment:  $-40\sim+85^{\circ}\text{C}$
4. Storage Environment:  $-40\sim+85^{\circ}\text{C}$

		<b>SHENZHEN OPTICO COMMUNICATION CO., LTD.</b>										
Model	8F MTPUPC Male-LCUPC Type A SM G657.A 3.0mm Yellow LSZH CPR-Dca Cable							OP-8F-MTPMULCU-SM-A				
<b>FIRST ANGLE PROJECTION</b> 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.04.25			
						CHECKED	Michael Liu	DATE	2025.04.25			
	LSZH					m	/	A4	1	APPROVED	STEVEN Zhang	DATE



Type B (TIA)

SIDE A	1	2	3	4	5	6	7	8	9	10	11	12
MTP	Blue	Orange	Green	Brown	x	x	x	x	Yellow	Violet	Pink	Aqua

SIDE B	8	7	6	5	4	3	2	1
LC	Blue	Orange	Green	Brown	Yellow	Violet	Pink	Aqua

**Specification:**



1. MTP/ MPO Low Loss IL:  $\leq 0.35\text{dB}$ ; Ultra loss:


$\leq 0.25\text{dB}$ ; LC  $\leq 0.25\text{dB}$ .

2. Return Loss:  $\geq 60\text{dB}$

3. Operation Environment:  $-40\sim+85^{\circ}\text{C}$

4. Storage Environment:  $-40\sim+85^{\circ}\text{C}$

 SHENZHEN OPTICO COMMUNICATION CO., LTD.									
Model	8F MTPUPC Male-LCUPC Type B SM G657.A 3.0mm Yellow LSZH CPR-Dca Cable	OP-8F-MTPMULCU-FP-SM-B							
FIRST ANGLE PROJECTION 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.04.25
	LSZH	m		A4	1	CHECKED	Michael Liu	DATE	2025.04.25
						APPROVED	STEVEN Zhang	DATE	2025.04.25




SIDE B	1	2	3	4	5	6	7	8
LC	Blue	Orange	Green	Brown	Yellow	Violet	Pink	Aqua

**Specification:**

1. MTP/ MPO Low Loss IL:  $\leq 0.35\text{dB}$ ; Ultra loss:  $\leq 0.25\text{dB}$ ; LC  $\leq 0.25\text{dB}$ .
2. Return Loss:  $\geq 35\text{dB}$
3. Operation Environment:  $-40\sim+85^{\circ}\text{C}$
4. Storage Environment:  $-40\sim+85^{\circ}\text{C}$

**SHENZHEN OPTICO COMMUNICATION CO., LTD.**

<b>Model</b>	8F MTPUPC Female-LCUPC Type A OM3 /4 3.0mm Magenta LSZH CPR-Dca Cable					O-8F-MTPFULCU-OM3/4-A			
<b>FIRST ANGLE PROJECTION</b> 	<small>MATERIAL</small>	<small>UNIT</small>	<small>SCALE</small>	<small>SIZE</small>	<small>SHEET</small>	<small>DRAWN</small>	<b>XUELING W</b>	<small>DATE</small>	2025.04.25
						<small>CHECKED</small>	<b>Michael Liu</b>	<small>DATE</small>	2025.04.25
						<small>APPROVED</small>	<b>STEVEN Zhang</b>	<small>DATE</small>	2025.04.25





Type A (TIA)


SIDE A	1	2	3	4	5	6	7	8	9	10	11	12
MTP	Blue	Orange	Green	Brown	x	x	x	x	Yellow	Violet	Pink	Aqua

SIDE B	1	2	3	4	5	6	7	8
LC	Blue	Orange	Green	Brown	Yellow	Violet	Pink	Aqua

**Specification:**

1. MTP/ MPO Low Loss IL:  $\leq 0.35\text{dB}$ ; Ultra loss:  $\leq 0.25\text{dB}$ ; LC  $\leq 0.25\text{dB}$ .
2. Return Loss:  $\geq 35\text{dB}$
3. Operation Environment:  $-40\sim+85^{\circ}\text{C}$
4. Storage Environment:  $-40\sim+85^{\circ}\text{C}$

		<b>SHENZHEN OPTICO COMMUNICATION CO., LTD.</b>							
Model	8F MTPUPC Male-LCUPC Type A OM3 /4 3.0mm Magenta LSZH CPR-Dca Cable						O-8F-MTPMULCU-OM3/4-A		
FIRST ANGLE PROJECTION 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.04.25
	LSZH	m	/	A4	1	CHECKED	Michael Liu	DATE	2025.04.25
						APPROVED	STEVEN Zhang	DATE	2025.04.25





Type B (TIA)


SIDE A	1	2	3	4	5	6	7	8	9	10	11	12
MTP	Blue	Orange	Green	Brown	x	x	x	x	Yellow	Violet	Pink	Aqua

SIDE B	8	7	6	5	4	3	2	1
LC	Blue	Orange	Green	Brown	Yellow	Violet	Pink	Aqua

**Specification:**

1. MTP/ MPO Low Loss IL:  $\leq 0.35\text{dB}$ ; Ultra loss:  $\leq 0.25\text{dB}$ ; LC  $\leq 0.25\text{dB}$ .
2. Return Loss:  $\geq 35\text{dB}$
3. Operation Environment:  $-40\sim+85^{\circ}\text{C}$
4. Storage Environment:  $-40\sim+85^{\circ}\text{C}$

		<b>SHENZHEN OPTICO COMMUNICATION CO., LTD.</b>							
Model	8F MTPUPC Female-LCUPC Type B OM3 /4 3.0mm Magenta LSZH CPR-Dca Cable						O-8F-MTPFULCU-OM3/4-B		
FIRST ANGLE PROJECTION 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.04.25
	LSZH	m	/	A4	1	CHECKED	Michael Liu	DATE	2025.04.25
						APPROVED	STEVEN Zhang	DATE	2025.04.25




Type B (TIA)

SIDE A	1	2	3	4	5	6	7	8	9	10	11	12
MTP	Blue	Orange	Green	Brown	x	x	x	x	Yellow	Violet	Pink	Aqua


SIDE B	8	7	6	5	4	3	2	1
LC	Blue	Orange	Green	Brown	Yellow	Violet	Pink	Aqua


**Specification:**

1. MTP/ MPO Low Loss IL:  $\leq 0.35\text{dB}$ ; Ultra loss:  $\leq 0.25\text{dB}$ ; LC  $\leq 0.25\text{dB}$ .
2. Return Loss:  $\geq 35\text{dB}$
3. Operation Environment:  $-40\sim+85^{\circ}\text{C}$
4. Storage Environment:  $-40\sim+85^{\circ}\text{C}$



**SHENZHEN OPTICO COMMUNICATION CO., LTD.**

<b>Model</b>	8F MTPUPC Male-LCUPC Type B OM3 /4 3.0mm Magenta LSZH CPR-Dca Cable					O-8F-MTPMULCU-OM3/4-B			
<b>FIRST ANGLE PROJECTION</b> 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.04.25
						CHECKED	Michael Liu	DATE	2025.04.25
	LSZH	m	/	A4	1	APPROVED	STEVEN Zhang	DATE	2025.04.25




SIDE B	1	2	3	4	5	6	7	8
LC	Blue	Orange	Green	Brown	Yellow	Violet	Pink	Aqua

**Specification:**

1. MTP/ MPO Low Loss IL:  $\leq 0.35\text{dB}$ ; Ultra loss:  $\leq 0.25\text{dB}$ ; LC  $\leq 0.25\text{dB}$ .
2. Return Loss:  $\geq 35\text{dB}$
3. Operation Environment:  $-40\sim+85^{\circ}\text{C}$
4. Storage Environment:  $-40\sim+85^{\circ}\text{C}$

<b>SHENZHEN OPTICO COMMUNICATION CO., LTD.</b>									
<b>Model</b>	8F MTPUPC Female-LCUPC Type A OM3 /4 3.0mm Aqua LSZH CPR-Dca Cable	<b>O-8F-MTPFULCU-OM3/4-A</b>							
<b>FIRST ANGLE PROJECTION</b> 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	<b>XUELING W</b>	DATE	2025.04.25
	LSZH	m	/	A4	1	CHECKED	<b>Michael Liu</b>	DATE	2025.04.25
							APPROVED	<b>STEVEN Zhang</b>	DATE





Type A (TIA)


SIDE A	1	2	3	4	5	6	7	8	9	10	11	12
MTP	Blue	Orange	Green	Brown	x	x	x	x	Yellow	Violet	Pink	Aqua

SIDE B	1	2	3	4	5	6	7	8
LC	Blue	Orange	Green	Brown	Yellow	Violet	Pink	Aqua

**Specification:**

1. MTP/ MPO Low Loss IL:  $\leq 0.35\text{dB}$ ; Ultra loss:  $\leq 0.25\text{dB}$ ; LC  $\leq 0.25\text{dB}$ .
2. Return Loss:  $\geq 35\text{dB}$
3. Operation Environment:  $-40\sim+85^{\circ}\text{C}$
4. Storage Environment:  $-40\sim+85^{\circ}\text{C}$

		<b>SHENZHEN OPTICO COMMUNICATION CO., LTD.</b>							
Model	8F MTPUPC Male-LCUPC Type A OM3 /4 3.0mm Aqua LSZH CPR-Dca Cable						O-8F-MTPMULCU-OM3/4-A		
FIRST ANGLE PROJECTION 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.04.25
	LSZH	m	/	A4	1	CHECKED	Michael Liu	DATE	2025.04.25
						APPROVED	STEVEN Zhang	DATE	2025.04.25




SIDE B	8	7	6	5	4	3	2	1
LC	Blue	Orange	Green	Brown	Yellow	Violet	Pink	Aqua

**Specification:**

- 1.Low Loss IL:  $\leq 0.35\text{dB}$ ; Ultra loss:  $\leq 0.25\text{dB}$ ;
- 2.Return Loss:  $\geq 35\text{dB}$
- 3.Operation Environment:  $-40\sim+85^{\circ}\text{C}$
- 4.Storage Environment:  $-40\sim+85^{\circ}\text{C}$

<b>SHENZHEN OPTICO COMMUNICATION CO., LTD.</b>										
<b>Model</b>	8F MTPUPC Female-LCUPC Type B OM3 /4 3.0mm Aqua LSZH CPR-Dca Cable	<b>O-8F-MTPFULCU-OM3/4-B</b>								
<b>FIRST ANGLE PROJECTION</b> 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	<b>XUELING W</b>	DATE	2025.04.25	
							CHECKED	<b>Michael Liu</b>	DATE	2025.04.25
	LSZH	m	/	A4	1	APPROVED	<b>STEVEN Zhang</b>	DATE	2025.04.25	



Type B (TIA)

SIDE A	1	2	3	4	5	6	7	8	9	10	11	12
MTP	Blue	Orange	Green	Brown	x	x	x	x	Yellow	Violet	Pink	Aqua

SIDE B	8	7	6	5	4	3	2	1
LC	Blue	Orange	Green	Brown	Yellow	Violet	Pink	Aqua

**Specification:**



1.Low Loss IL:  $\leq 0.35\text{dB}$ ; Ultra loss:  $\leq 0.25\text{dB}$ ;


LC  $\leq 0.25\text{dB}$ .

2.Return Loss:  $\geq 35\text{dB}$

3.Operation Environment:  $-40\sim+85^\circ\text{C}$

4.Storage Environment:  $-40\sim+85^\circ\text{C}$

		<b>SHENZHEN OPTICO COMMUNICATION CO., LTD.</b>									
Model	8F MTPUPC Male-LCUPC Type B OM3 /4 3.0mm Aqua LSZH CPR-Dca Cable						O-8F-MTPMULCU-OM3/4-B				
<b>FIRST ANGLE PROJECTION</b> 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.04.25		
	LSZH	m	/	A4	1	CHECKED	Michael Liu	DATE	2025.04.25		
						APPROVED	STEVEN Zhang	DATE	2025.04.25		



SIDE B	1	2	3	4	5	6	7	8
LC	Blue	Orange	Green	Brown	Yellow	Violet	Pink	Aqua

**Specification:**



1.Low Loss IL:  $\leq 0.35\text{dB}$ ; Ultra loss:  $\leq 0.25\text{dB}$ ;


LC  $\leq 0.25\text{dB}$ .

2.Return Loss:  $\geq 35\text{dB}$

3.Operation Environment:  $-40\sim+85^{\circ}\text{C}$

4.Storage Environment:  $-40\sim+85^{\circ}\text{C}$

		<b>SHENZHEN OPTICO COMMUNICATION CO., LTD.</b>							
Model	8F MTPUPC Female-LCUPC Type A OM5 3.0mm Lime Green LSZH CPR-Dca Cable						O-8F-MTPFULCU-OM5-A		
FIRST ANGLE PROJECTION 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.04.25
	LSZH	m	/	A4	1	CHECKED	Michael Liu	DATE	2025.04.25
						APPROVED	STEVEN Zhang	DATE	2025.04.25



MTP/UPC MM  
Elite Female  
SIDE A


Type B (TIA)

SIDE A	1	2	3	4	5	6	7	8	9	10	11	12
MTP	Blue	Orange	Green	Brown	x	x	x	x	Yellow	Violet	Pink	Aqua


SIDE B	8	7	6	5	4	3	2	1
LC	Blue	Orange	Green	Brown	Yellow	Violet	Pink	Aqua


**Specification:**

- MTP/ MPO Low Loss IL:  $\leq 0.35\text{dB}$ ; Ultra loss:  $\leq 0.25\text{dB}$ ; LC  $\leq 0.25\text{dB}$ .
- Return Loss:  $\geq 65\text{dB}$
- Operation Environment:  $-40\sim+85^{\circ}\text{C}$
- Storage Environment:  $-40\sim+85^{\circ}\text{C}$



**SHENZHEN OPTICO COMMUNICATION CO., LTD.**

<b>Model</b>	8F MTPUPC Female-LCUPC Type B OM5 3.0mm Lime Green LSZH CPR-Dca Cable					O-8F-MTPFULCU-OM5-B						
<b>FIRST ANGLE PROJECTION</b> 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.04.25			
						CHECKED	Michael Liu	DATE	2025.04.25			
	LSZH					m	/	A4	1	APPROVED	STEVEN Zhang	DATE




Type A (TIA)

SIDE A	1	2	3	4	5	6	7	8	9	10	11	12
MTP	Blue	Orange	Green	Brown	x	x	x	x	Yellow	Violet	Pink	Aqua


SIDE B	1	2	3	4	5	6	7	8
LC	Blue	Orange	Green	Brown	Yellow	Violet	Pink	Aqua


**Specification:**

- 1.Low Loss IL:  $\leq 0.35\text{dB}$ ; Ultra loss:  $\leq 0.25\text{dB}$ ;
- 2.Return Loss:  $\geq 35\text{dB}$
- 3.Operation Environment:  $-40\sim+85^{\circ}\text{C}$
- 4.Storage Environment:  $-40\sim+85^{\circ}\text{C}$



**SHENZHEN OPTICO COMMUNICATION CO., LTD.**

<b>Model</b>	8F MTPUPC Male-LCUPC Type A OM5 3.0mm Lime Green LSZH CPR-Dca Cable					O-8F-MTPMULCU-OM5-A			
<b>FIRST ANGLE PROJECTION</b> 	<small>MATERIAL</small>	<small>UNIT</small>	<small>SCALE</small>	<small>SIZE</small>	<small>SHEET</small>	<small>DRAWN</small>	<b>XUELING W</b>	<small>DATE</small>	2025.04.25
						<small>CHECKED</small>	<b>Michael Liu</b>	<small>DATE</small>	2025.04.25
	LSZH    m					<small>APPROVED</small>	<b>STEVEN Zhang</b>	<small>DATE</small>	2025.04.25



MTP/UPC MM  
Elite Male  
SIDE A


Type B (TIA)

SIDE A	1	2	3	4	5	6	7	8	9	10	11	12
MTP	Blue	Orange	Green	Brown	x	x	x	x	Yellow	Violet	Pink	Aqua


SIDE B	8	7	6	5	4	3	2	1
LC	Blue	Orange	Green	Brown	Yellow	Violet	Pink	Aqua

**Specification:**

1. MTP/ MPO Low Loss IL:  $\leq 0.35\text{dB}$ ; Ultra loss:  $\leq 0.25\text{dB}$ ; LC  $\leq 0.25\text{dB}$ .
2. Return Loss:  $\geq 65\text{dB}$
3. Operation Environment:  $-40\sim+85^{\circ}\text{C}$
4. Storage Environment:  $-40\sim+85^{\circ}\text{C}$



**SHENZHEN OPTICO COMMUNICATION CO., LTD.**

<b>Model</b>	8F MTPUPC Male-LCUPC Type B OM5 3.0mm Lime Green LSZH CPR-Dca Cable					O-8F-MTPMULCU-OM5-B			
<b>FIRST ANGLE PROJECTION</b> 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.04.25
	LSZH	m	/	A4	1	CHECKED	Michael Liu	DATE	2025.04.25
						APPROVED	STEVEN Zhang	DATE	2025.04.25