



Fiber Configuration: Type A


Fiber no.	1	2	3	4	5	6	7	8	9	10	11	12
MTP	Blue	Orange	Green	Brown	X	X	X	X	Yellow	Violet	Pink	Aqua

Fiber no.	1	2	3	4	5	6	7	8
SC	Blue	Orange	Green	Brown	Yellow	Violet	Pink	Aqua

Specification:

- 1.MTP Low Loss IL: $\leq 0.35\text{dB}$, Ultra low loss: $\leq 0.25\text{dB}$; SC Low loss: $\leq 0.25\text{dB}$
- 2.Return Loss: $\geq 65\text{dB}$
- 3.Operation Environment: $-40\sim+85^{\circ}\text{C}$
- 4.Storage Environment: $-40\sim+85^{\circ}\text{C}$

		SHENZHEN OPTICO COMMUNICATION CO., LTD.									
Model		8F MTPAPC Female-SC Fan-out Patchcord Type A SM G657A2 3.0mm Yellow LSZH CPR-Dca Cable						OP-8F-MTPFSCA-FP-SM-A			
FIRST ANGLE PROJECTION 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.04.25		
	LSZH	m	/	A4	1	CHECKED	Michael Liu	DATE	2025.04.25		
						APPROVED	STEVEN Zhang	DATE	2025.04.25		





Fiber Configuration: Type B


Fiber no.	1	2	3	4	5	6	7	8	9	10	11	12
MTP	Blue	Orange	Green	Brown	X	X	X	X	Yellow	Violet	Pink	Aqua

Fiber no.	8	7	6	5	4	3	2	1
SC	Blue	Orange	Green	Brown	Yellow	Violet	Pink	Aqua

Specification:

- 1.MTP Low Loss IL: $\leq 0.35\text{dB}$, Ultra low loss: $\leq 0.25\text{dB}$; SC Low loss: $\leq 0.25\text{dB}$
- 2.Return Loss: $\geq 65\text{dB}$
- 3.Operation Environment: $-40\sim+85^{\circ}\text{C}$
- 4.Storage Environment: $-40\sim+85^{\circ}\text{C}$

		SHENZHEN OPTICO COMMUNICATION CO., LTD.									
Model		8F MTPAPC Female-SC Fan-out Patchcord Type B SM G657A2 3.0mm Yellow LSZH CPR-Dca Cable						OP-8F-MTPFSCA-FP-SM-B			
FIRST ANGLE PROJECTION 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.04.25		
	LSZH	m	/	A4	1	CHECKED	Michael Liu	DATE	2025.04.25		
						APPROVED	STEVEN Zhang	DATE	2025.04.25		





Fiber Configuration: Type A


Fiber no.	1	2	3	4	5	6	7	8	9	10	11	12
MTP	Blue	Orange	Green	Brown	X	X	X	X	Yellow	Violet	Pink	Aqua

Fiber no.	1	2	3	4	5	6	7	8
SC	Blue	Orange	Green	Brown	Yellow	Violet	Pink	Aqua

Specification:

- 1.MTP Low Loss IL: $\leq 0.35\text{dB}$, Ultra low loss: $\leq 0.25\text{dB}$; SC Low loss: $\leq 0.25\text{dB}$
- 2.Return Loss: $\geq 35\text{dB}$
- 3.Operation Environment: $-40\sim+85^{\circ}\text{C}$
- 4.Storage Environment: $-40\sim+85^{\circ}\text{C}$

		SHENZHEN OPTICO COMMUNICATION CO., LTD.										
Model	8F MTPUPC Female-SC Fan-out Patchcord Type A OM3/4 3.0mm Aqua LSZH CPR-Dca Cable							OP-8F-MTPFSCU-FP-M3/4-A				
FIRST ANGLE PROJECTION 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.04.25			
	LSZH	m	/	A4	1	CHECKED	Michael Liu	DATE	2025.04.25			
						APPROVED	STEVEN Zhang	DATE	2025.04.25			





Fiber Configuration: Type B


Fiber no.	1	2	3	4	5	6	7	8	9	10	11	12
MTP	Blue	Orange	Green	Brown	X	X	X	X	Yellow	Violet	Pink	Aqua

Fiber no.	8	7	6	5	4	3	2	1
SC	Blue	Orange	Green	Brown	Yellow	Violet	Pink	Aqua

Specification:

- 1.MTP Low Loss IL: $\leq 0.35\text{dB}$, Ultra low loss: $\leq 0.25\text{dB}$; SC Low loss: $\leq 0.25\text{dB}$
- 2.Return Loss: $\geq 35\text{dB}$
- 3.Operation Environment: $-40\sim+85^{\circ}\text{C}$
- 4.Storage Environment: $-40\sim+85^{\circ}\text{C}$

		SHENZHEN OPTICO COMMUNICATION CO., LTD.									
Model		8F MTPUPC Female-SC Fan-out Patchcord Type B OM3/4 3.0mm Aqua LSZH CPR-Dca Cable						OP-8F-MTPFSCU-FP-M3/4-B			
FIRST ANGLE PROJECTION 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.04.25		
	LSZH	m	/	A4	1	CHECKED	Michael Liu	DATE	2025.04.25		
						APPROVED	STEVEN Zhang	DATE	2025.04.25		





Fiber Configuration: Type A


Fiber No.	1	2	3	4	5	6	7	8	9	10	11	12
MTP	Blue	Orange	Green	Brown	X	X	X	X	Yellow	Violet	Pink	Aqua

Fiber no.	1	2	3	4	5	6	7	8
SC	Blue	Orange	Green	Brown	Yellow	Violet	Pink	Aqua

Specification:

- 1.MTP Low Loss IL: $\leq 0.35\text{dB}$, Ultra low loss: $\leq 0.25\text{dB}$; SC Low loss: $\leq 0.25\text{dB}$
- 2.Return Loss: $\geq 35\text{dB}$
- 3.Operation Environment: $-40\sim+85^{\circ}\text{C}$
- 4.Storage Environment: $-40\sim+85^{\circ}\text{C}$

		SHENZHEN OPTICO COMMUNICATION CO., LTD.									
Model		8F MTPUPC Female-SC Fan-out Patchcord Type A OM3/4 3.0mm Magenta LSZH CPR-Dca Cable						OP-8F-MTPFSCU-FP-M3/4- A			
FIRST ANGLE PROJECTION 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.04.25		
	LSZH	m	/	A4	1	CHECKED	Michael Liu	DATE	2025.04.25		
						APPROVED	STEVEN Zhang	DATE	2025.04.25		





Fiber Configuration: Type B


Fiber No.	1	2	3	4	5	6	7	8	9	10	11	12
MTP	Blue	Orange	Green	Brown	X	X	X	X	Yellow	Violet	Pink	Aqua

Fiber no.	8	7	6	5	4	3	2	1
SC	Blue	Orange	Green	Brown	Yellow	Violet	Pink	Aqua

Specification:

- 1.MTP Low Loss IL: $\leq 0.35\text{dB}$, Ultra low loss: $\leq 0.25\text{dB}$; SC Low loss: $\leq 0.25\text{dB}$
- 2.Return Loss: $\geq 35\text{dB}$
- 3.Operation Environment: $-40\sim+85^{\circ}\text{C}$
- 4.Storage Environment: $-40\sim+85^{\circ}\text{C}$

		SHENZHEN OPTICO COMMUNICATION CO., LTD.										
Model	8F MTPUPC Female-SC Fan-out Patchcord Type B OM3/4 3.0mm Magenta LSZH CPR-Dca Cable						OP-8F-MTPFSCU-FP-M3/4- B					
FIRST ANGLE PROJECTION 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.04.25			
	LSZH	m	/	A4	1	CHECKED	Michael Liu	DATE	2025.04.25			
						APPROVED	STEVEN Zhang	DATE	2025.04.25			





Fiber Configuration: Type A


Fiber No.	1	2	3	4	5	6	7	8	9	10	11	12
MTP	Blue	Orange	Green	Brown	X	X	X	X	Yellow	Violet	Pink	Aqua

Fiber no.	1	2	3	4	5	6	7	8
SC	Blue	Orange	Green	Brown	Yellow	Violet	Pink	Aqua

Specification:

- 1.MTP Low Loss IL: $\leq 0.35\text{dB}$, Ultra low loss: $\leq 0.25\text{dB}$; SC Low loss: $\leq 0.25\text{dB}$
- 2.Return Loss: $\geq 35\text{dB}$
- 3.Operation Environment: $-40\sim+85^{\circ}\text{C}$
- 4.Storage Environment: $-40\sim+85^{\circ}\text{C}$

		SHENZHEN OPTICO COMMUNICATION CO., LTD.							
Model	8F MTPUPC Female-SC Fan-out Patchcord Type A OM5 3.0mm Lime Green LSZH CPR-Dca Cable						OP-8F-MTPFSCU-FP-M5-A		
FIRST ANGLE PROJECTION 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.04.25
	LSZH	m	/	A4	1	CHECKED	Michael Liu	DATE	2025.04.25
						APPROVED	STEVEN Zhang	DATE	2025.04.25





Fiber Configuration: Type B

Fiber No.	1	2	3	4	5	6	7	8	9	10	11	12
MTP	Blue	Orange	Green	Brown	X	X	X	X	Yellow	Violet	Pink	Aqua

Fiber no.	8	7	6	5	4	3	2	1
SC	Blue	Orange	Green	Brown	Yellow	Violet	Pink	Aqua

Specification:

- 1.MTP Low Loss IL: $\leq 0.35\text{dB}$, Ultra low loss: $\leq 0.25\text{dB}$; SC Low loss: $\leq 0.25\text{dB}$
- 2.Return Loss: $\geq 35\text{dB}$
- 3.Operation Environment: $-40\sim+85^{\circ}\text{C}$
- 4.Storage Environment: $-40\sim+85^{\circ}\text{C}$

		SHENZHEN OPTICO COMMUNICATION CO., LTD.								
Model	8F MTPUPC Female-SC Fan-out Patchcord Type B OM5 3.0mm Lime Green LSZH CPR-Dca Cable						OP-8F-MTPFSCU-FP-M5-B			
FIRST ANGLE PROJECTION 	MATERIAL	UNIT	SCALE	SIZE	SHEET	DRAWN	XUELING W	DATE	2025.04.25	
	LSZH	m	/	A4	1	CHECKED	Michael Liu	DATE	2025.04.25	
						APPROVED	STEVEN Zhang	DATE	2025.04.25	